

$$\frac{165}{54}$$
$$\frac{3700}{1-20}$$





FIG. 2B





Fig. 3






FIG. 5

FIG. 7 is a perspective view of the device 100 in a closed position, showing the front panel 101 and the side panel 102. The device 100 is a rectangular box with a front panel 101 and a side panel 102. The front panel 101 has a handle 112 and a latch 114. The side panel 102 has a handle 116 and a latch 118. The device 100 is shown in a closed position, with the front panel 101 and the side panel 102 meeting at the top edge 122. The bottom edge 124 is also shown. The device 100 is shown in a perspective view, with the front panel 101 and the side panel 102 being the main components. The handle 112 and the latch 114 are located on the front panel 101, and the handle 116 and the latch 118 are located on the side panel 102. The top edge 122 and the bottom edge 124 are also shown. The device 100 is shown in a closed position, with the front panel 101 and the side panel 102 meeting at the top edge 122. The bottom edge 124 is also shown.




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

FIG. 15A is a perspective view of a device 100 in an open position. The device 100 includes a first panel 260 and a second panel 262. The first panel 260 is connected to the second panel 262 by a hinge 270. The first panel 260 includes a first surface 271 and a second surface 272. The second panel 262 includes a third surface 273 and a fourth surface 274. The device 100 also includes a first hinge 281 and a second hinge 282. The first hinge 281 is located on the first surface 271 and the second hinge 282 is located on the third surface 273. The device 100 further includes a first strap 283 and a second strap 284. The first strap 283 is connected to the first panel 260 and the second strap 284 is connected to the second panel 262. The first strap 283 includes a first end 285 and a second end 286. The second strap 284 includes a third end 285 and a fourth end 286. The first end 285 and the third end 285 are connected to the first hinge 281 and the second end 286 and the fourth end 286 are connected to the second hinge 282. The device 100 is shown in an open position where the first panel 260 and the second panel 262 are separated. The first panel 260 is tilted upwards and the second panel 262 is tilted downwards. The first hinge 281 and the second hinge 282 are shown in a closed position where the first panel 260 and the second panel 262 are joined. The first strap 283 and the second strap 284 are shown in a relaxed state. The device 100 is shown in a perspective view from the front. The first panel 260 and the second panel 262 are shown in a perspective view from the front. The first hinge 281 and the second hinge 282 are shown in a perspective view from the front. The first strap 283 and the second strap 284 are shown in a perspective view from the front. The device 100 is shown in a perspective view from the front.




FIG. 15A




FIG. 15B




FIG. 16A




FIG. 16B




FIG. 16C




FIG. 16D

FIG. 17B





FIG. 17C




FIG. 17A




FIG. 17D